

E-Channel Beer Keg Rack

- All aluminum construction for corrosion resistance.
- Adjustable shelf heights accommodate ¼ barrel and ½ barrel sizes. Top shelf for general merchandise.
- Shipped knockdown - easily assembled.
- Lengths of 54", 60", 80" and 93". 93" units have 6 up rights for added support.

Equipment Guide

- ✓ BETTER
- ✓ HEAVY DUTY USE
- ✓ LIFE WARRANTY AGAINST RUST
- ✓



Model Number	Order#	Overall Dimensions						Barrel Cap	Approx. Ship Wt	
		Width		Length		Height			(lb)	(kg)
		(in)	(mm)	(in)	(mm)	(in)	(mm)			
Half Keg										
BKR-54/E	609191	17½	445	54	1,372	76	1930	6	48	22
BKR-60/E	593504			60	1,524			6	52	24
BKR-80/E	593512			80	2,032			8	62	28
BKR-93/E	593521			93	2,362			10	78	35

Freight Class: 70

Dunnage Racks, Plastic

- Solid, one piece plastic construction will not chip, corrode or rust.
- All are a full 12" height which is double the HACCP guidelines.
- Rounded corners helps prevent bag puncturing.
- Dunnage Racks eliminate condensation buildup. Easy to wash or steam clean.
- PLSQ plastic is Gray, recyclable and
- DPLSQ is Black, regind recycled plastic.

Equipment Guide

- ✓ BEST
- ✓ HEAVY DUTY USE
- ✓ LIFE WARRANTY AGAINST RUST



Super Capacity, Super Sanitary!
Ideal for Coolers, Freezers and In-Store Display Areas!
Also Ideal for Outdoor Storage!

Model Number	Ordering Number	Length		Color	Capacity		Approx. Ship Wt	
		(in)	(mm)		(lb)	(kg)	(lb)	(kg)
22" (559mm) Width x 12" (305mm) Height								
PLSQ-3-1222	207757	36	914	Gray	2,200	998	18	8
PLSQ-4-1222	207765	48	1,219				21	10
PLSQ-5-1222	207773	60	1,524				24	11
22" (559mm) Width x 12" (305mm) Height- Recycled Plastic								
DPLSQ-3-1222-BK	408292	36	914	Black	2,200	998	18	8
DPLSQ-4-1222-BK	229041	48	1,219				21	10
DPLSQ-5-1222-BK	408305	60	1,524				24	11

Freight Class: 70



DPLSQ Series

Ideal for Coolers, In-Store Display and Outdoor Storage!

Dunnage Racks Economy

- Prolongs product life by circulating air underneath. 12" height above floor meets all sanitary health codes.
- All welded 1½" x 1½" heavy duty, rustproof aluminum tube construction.

Equipment Guide	
✓	GOOD
✓	LIGHT DUTY USE
✓	LIFE WARRANTY AGAINST RUST
✓	NSF



DASQ Series
Economy

1½" x 1½"
Tubular Frame

WIN-HOLT DUNNAGE RACK CAPACITY GUIDE			
Series	36" Length	48" Length	60" Length
DASQ	2100 lb	1800 lb	1500 lb
ALSQ	3000 lb	2500 lb	2000 lb
ALCH	3000 lb	2500 lb	2000 lb
DRAL	3000 lb	2500 lb	2000 lb

Model Number	Ordering Number	Length		Capacity		Approx. Ship Wt	
		(in)	(mm)	(lb)	(kg)	(lb)	(kg)
20" (508mm) Width x 12" (305mm) Height							
DASQ-3-1220	133866	36	914	2100	953	8	4
DASQ-4-1220	133874	48	1,219	1800	816	11	5
DASQ-5-1220	133882	60	1,524	1500	680	12	5
24" (610mm) Width x 12" (305mm) Height							
DASQ-3-1224	133891	36	914	2100	953	10	5
✓ EXPRESS SHIP							
DASQ-4-1224	133903	48	1,219	1800	816	12	5
✓ EXPRESS SHIP							
DASQ-5-1224	133911	60	1,524	1500	680	14	6
20" (508mm) Width x 8" (203mm) Height							
DASQ-3-820	156161	36	914	2100	953	10	5
DASQ-4-820	154018	48	1,219	1800	816	12	5
DASQ-5-820	153550	60	1,524	1500	680	14	6
24" (610mm) Width x 8" (203mm) Height							
DASQ-3-824	138237	36	914	2100	953	10	5
DASQ-4-824	138245	48	1,219	1800	816	12	5
DASQ-5-824	153568	60	1,524	1500	680	14	6

Freight Class: 70

Dunnage Racks Heavy Duty

- Prolongs product life by circulating air underneath. 12" (305mm) height off the ground meets all sanitary health codes.
- Straight Tube Dunnage Racks—supports high capacity loads on all welded 1¾" x 1½" tube aluminum construction.

Equipment Guide	
✓	BETTER
✓	HEAVY DUTY USE
✓	LIFE WARRANTY AGAINST RUST
✓	NSF



ALSQ Series

1¾" x 1½"
Tubular Frame

Model Number	Ordering Number	Length		Capacity		Approx. Ship Wt	
		(in)	(mm)	(lb)	(kg)	(lb)	(kg)
20" (508mm) Width x 12" (305mm) Height							
ALSQ-3-1220	102971	36	914	3000	1,361	8	4
ALSQ-4-1220	103085	48	1,219	2500	1,134	10	5
ALSQ-5-1220	103202	60	1,524	2000	907	12	5
24" (610mm) Width x 12" (305mm) Height							
ALSQ-3-1224	102980	36	914	3000	1,361	10	5
ALSQ-4-1224	103093	48	1,219	2500	1,134	12	5
ALSQ-5-1224	103211	60	1,524	2000	907	14	6
20" (508mm) Width x 8" (203mm) Height							
ALSQ-3-820	103034	36	914	3,000	1,361	10	5
ALSQ-4-820	103181	48	1,219	2,500	1,134	12	5
ALSQ-5-820	103245	60	1,524	2,000	907	14	6
24" (610mm) Width x 8" (203mm) Height							
ALSQ-3-824	103042	36	914	3000	1,361	10	5
ALSQ-4-824	103190	48	1,219	2500	1,134	12	5
ALSQ-5-824	103253	60	1,524	2000	907	14	6

Freight Class: 70

Channel Dunnage Racks

Heavy Duty

- Prolongs product life by circulating air underneath. 12" (305mm) height off the ground meets all sanitary health codes.
- Channel Dunnage Racks—supports high capacity loads on all welded 1¼" x 1½" heavy duty aluminum tubular frame with 4" E-Channels.
- Stands up to tough use with all welded construction.

Equipment Guide
✓ BETTER
✓ HEAVY DUTY USE
✓ LIFE WARRANTY AGAINST RUST
✓ NSF



ALCH Series

Tubular Frame with 4" E-Channels

Model Number	Ordering Number	Length		Capacity		Approx. Ship Weight	
		(in)	(mm)	(lb)	(kg)	(lb)	(kg)
20" (508mm) Width x 12" (305mm) Height							
ALCH-3-1220	207263	36	914	3,000	1,361	11	5
ALCH-4-1220	207271	48	1,219	2,500	1,134	13	6
ALCH-5-1220	207280	60	1,524	2,000	907	15	7
24" (610mm) Width x 12" (305mm) Height							
ALCH-3-1224	207298	36	914	3,000	1,361	11	5
ALCH-4-1224	207301	48	1,219	2,500	1,134	13	6
ALCH-5-1224	207319	60	1,524	2,000	907	15	7
20" (508mm) Width x 8" (203mm) Height							
ALCH-3-820	207327	36	914	3,000	1,361	11	5
ALCH-4-820	207335	48	1,219	2,500	1,134	13	6
ALCH-5-820	207343	60	1,524	2,000	907	15	7
24" (610mm) Width x 8" (203mm) Height							
ALCH-3-824	207351	36	914	3,000	1,361	11	5
ALCH-4-824	207360	48	1,219	2,500	1,134	13	6
ALCH-5-824	207378	60	1,524	2,000	907	15	7

Freight Class: 70

WIN-HOLT DUNNAGE RACK CAPACITY GUIDE			
Series	36" Length	48" Length	60" Length
DASQ	2100 lb	1800 lb	1500 lb
ALSQ	3000 lb	2500 lb	2000 lb
ALCH	3000 lb	2500 lb	2000 lb
DRAL	3000 lb	2500 lb	2000 lb

Dunnage Racks

Gusset Leg

- Tubular construction allows for air circulation.
- Complies with all sanitary health codes.
- Gusset legs support heavy loads.
- Shipped set-up ready to use.
- All welded heavy duty, rustproof aluminum construction. Extra strength gusset leg is designed for heavy loads. Also available in Electroplated Steel with a minimum order of 50 units.
- Optional 1" Safety Flanged Foot.

Equipment Guide
✓ BEST
✓ HEAVY DUTY USE
✓ CORRECTIONAL READY
✓ LIFE WARRANTY AGAINST RUST
✓ NSF



DRAL Series

Gusset Legs for Heavy Loads

Model Number	Ordering Number	Length		Capacity		Approx. Ship Weight	
		(in)	(mm)	(lb)	(kg)	(lb)	(kg)
Aluminum - 20" (508mm) Width x 12" (305mm) Height							
DRAL-3-1220	103472	36	914	3,000	1,335	11	5
DRAL-4-1220	103499	48	1,219	2,500	1,113	14	6
Aluminum - 24" (610mm) Width x 12" (305mm) Height							
DRAL-3-1224	103481	36	914	3,000	1,335	11	5
DRAL-4-1224	103501	48	1,219	2,500	1,113	14	6
DRAL-5-1224	103528	60	1,524	2,000	890	15	7

Freight Class: 70

In line with our policy to continually improve our products, Win-Holt reserves the right to change materials and specifications without notice.